## MENTAL IMPAIRMENT QUESTIONNAIRE (RFC & LISTINGS)

m:			Re:
			SSN:
		the following questions concerning results as appropriate.	your patient's impairments. Attach relevant treatment
	Freque	ency and length of contact:	
	DSM-	IV Multiaxial Evaluation:	
	Axis I	:	Axis IV:
	Axis I	I:	Axis V: Current GAF:
	Axis I	II:	Highest GAF Past year:
	Treatn	nent and response:	
	a.	List of prescribed medications:	
	b.		cations that may have implications for
		working. E.g., dizziness, drowsin	ess, fatigue, lethargy, stomach upset, etc.:
	Descri	be the <i>clinical findings</i> including re	sults of mental status examination that
		astrate the severity of your patient's	
	Progno	osis:	
	$\sim$		

## 7. Identify your patient's signs and symptoms:

Anhedonia or pervasive loss of interest in almost all	Intense and unstable interpersonal relationships and
activities Appetite disturbance with weight change	impulsive and damaging behavior  Disorientation to time and place
	_
Decreased energy	Perceptual or thinking disturbances
Thoughts of suicide	Hallucinations or delusions
Blunt, flat or inappropriate affect	Hyperactivity
Feelings of guilt or worthlessness	Motor tension
Impairment in impulse control	Catatonic or other grossly disorganized behavior
Poverty of content of speech	Emotional lability
Generalized persistent anxiety	Flight of ideas
Somatization unexplained by organic disturbance	Manic syndrome
Mood disturbance	Deeply ingrained, maladaptive patterns of behavior
Difficulty thinking or concentrating	Inflated self-esteem
Recurrent and intrusive recollections of a traumatic experience, which are a source of marked distress	Unrealistic interpretation of physical signs or sensations associated with the preoccupation or belief that one has a serious disease or injury
Psychomotor agitation or retardation	Loosening of associations
Pathological dependence, passivity or agressivity	Illogical thinking
Persistent disturbances of mood or affect	Vigilance and scanning
Persistent nonorganic disturbance of vision, speech, hearing, use of a limb, movement and its control, or sensation	Pathologically inappropriate suspiciousness or hostility
Change in personality	Pressures of speech
Apprehensive expectation	Easy distractibility
Paranoid thinking or inappropriate suspiciousness	Autonomic hyperactivity
Recurrent obsessions or compulsions which are a source of marked distress	Memory impairment – short, intermediate or long term
Seclusiveness or autistic thinking	Sleep disturbance
Substance dependence	Oddities of thought, perception, speech or behavior
Incoherence	Decreased need for sleep
Emotional withdrawal or isolation	Loss of intellectual ability of 15 IQ points or more
Psychological or behavioral abnormalities associated with a dysfunction of the brain with a specific organic factor judged to be etiologically related to the abnormal mental state and loss of previously acquired functional abilities	Recurrent severe panic attacks manifested by a sudden unpredictable onset of intense apprehension, fear, terror and sense of impending doom occurring on the average of at least once a week
Bipolar syndrome with a history of episodic periods manifested by the full symptomatic picture of both manic and depressive syndromes (and currently characterized by either or both syndromes)	A history of multiple physical symptoms (for which there are no organic findings) of several years duration beginning before age 30, that have caused the individual to take medicine frequently, see a physician often and alter life patterns significantly
Persistent irrational fear of a specific object, activity, or situation which results in a compelling desire to avoid the dreaded object, activity or situation	Involvement in activities that have a high probability of painful consequences which are not recognized

- 8. To determine your patient's ability to do *work-related activities on a day-to-day basis in a regular work setting,* please give us your opinion **based on your examination** of how your patient's mental/emotional capabilities are affected by the impairment(s). Consider the medical history, the chronicity of findings (or lack thereof), and the expected duration of any work-related limitations, but not your patient's age, sex or work experience.
  - *Limited but satisfactory* means your patient has noticeable difficulty (e.g., distracted from job activity) no more than 10 percent of the workday or work week.
  - Seriously limited means your patient has noticeable difficulty (e.g., distracted from job activity) from 11 to 20 percent of the workday or work week.
  - *Unable to meet competitive standards* means your patient has noticeable difficulty (e.g., distracted from job activity) from 21 to 40 percent of the workday or work week.
  - *No useful ability to function*, an extreme limitation, means your patient cannot perform this activity on a regular, reliable and sustained schedule in a regular work setting.

I.	MENTAL ABILITIES AND APTITUDES NEEDED TO DO UNSKILLED WORK	Unlimited or Very Good	Limited but satisfactory	Seriously limited	Unable to meet competitive standards	No useful ability to function
A.	Remember work-like procedures					
B.	Understand and remember very short and simple instructions					
C.	Carry out very short and simple instructions					
D.	Maintain attention for two hour segment					
E.	Maintain regular attendance and be punctual within customary, usually strict tolerances					
F.	Sustain an ordinary routine without special supervision					
G.	Work in coordination with or proximity to others without being unduly distracted					
H.	Make simple work-related decisions					
I.	Complete a normal workday and workweek without interruptions from psychologically based symptoms					
J.	Perform at a consistent pace without an unreasonable number and length of rest periods					
K.	Ask simple questions or request assistance					
L.	Accept instructions and respond appropriately to criticism from supervisors					
M.	Get along with co-workers or peers without unduly distracting them or exhibiting behavioral extremes					
N.	Respond appropriately to changes in a routine work setting					
O.	Deal with normal work stress					
P.	Be aware of normal hazards and take appropriate precautions					

<sup>(</sup>Q) Explain limitations falling in the three most limited categories (identified by **bold type**) and include the medical/clinical findings that support this assessment:

II.	MENTAL ABILITIES AND APTITUDES NEEDED TO DO SEMISKILLED AND SKILLED WORK	Unlimited or Very Good	Limited but satisfactory	Seriously limited	Unable to meet competitive standards	No useful ability to function
A.	Understand and remember detailed instructions					
B.	Carry out detailed instructions					
C.	Set realistic goals or make plans independently of others					
D.	Deal with stress of semiskilled and skilled work					

<sup>(</sup>E) Explain limitations falling in the three most limited categories (identified by **bold type**) and include the medical/clinical findings that support this assessment:

III.	MENTAL ABILITIES AND APTITUDE NEEDED TO DO PARTICULAR TYPES OF JOBS	Unlimited or Very Good	Limited but satisfactory	Seriously limited	Unable to meet competitive standards	No useful ability to function
A.	Interact appropriately with the general public					
B.	Maintain socially appropriate behavior					
C.	Adhere to basic standards of neatness and cleanliness					
D.	Travel in unfamiliar place					
E.	Use public transportation					

<sup>(</sup>F) Explain limitations falling in the three most limited categories (identified by **bold type**) and include the medical/clinical findings that support this assessment:

9.	Does your patient have a low IQ or reduced intellectual function	_	
	Please explain (with reference to specific test results):	□ Yes	□ No
10.	Does the psychiatric condition exacerbate your patient's experphysical symptom?	ience of pain or  ☐ Yes	any other ☐ No
	If yes, please explain:		

11. Indicate to what degree the following functional limitations exist as a result of your patient's mental impairments. *Note*: **Marked** means more than moderate but less than extreme. A marked limitation my arise when several activities or functions are impaired or even when only one is impaired, so long as the degree of limitation is such as to seriously interfere with the ability to function independently, appropriately, effectively, and on a sustained basis.

FUNCTIONAL LIMITATION

A.	Restrict	tion of a	activities of	daily living	None- Mild □	Moderate	Marked □	Extreme
B.	Difficul	ties in r	maintaining s	social functioning	None Mild	Moderate	Marked □	Extreme
C.	Difficul pace	lties in r	maintaining o	concentration, persistence or	None Mild	Moderate	Marked □	Extreme
D.			compensation two weeks	on* within 12 month period, duration**	None	One or Two □	Three □	Four or More □
	accomdaily of decrequir*  ** If than t	accompanied by a loss of adaptive functioning, as manifested by difficulties in performing activition daily living, maintaining social relationships, or maintaining concentration, persistence or pace. Epi of decompensation may be demonstrated by an exacerbation of symptoms or signs that would ordinare increased treatment or a less stressful situation (or a combination of the two).  ** If within one year your patient had more than three episodes of decompensation of shorter due than two weeks or less frequent episodes of decompensation of longer duration than two weeks, provided the approximate dates of each episode of decompensation:  12. Please indicate if any of the following apply to your patient:						ng activities of bace. Episodes could ordinarily horter duration weeks, please c., or affective itation of
	ability to do any basic work activity, with symptoms or signs currently attenuated by medication or psychosocial support, and one of the following:  1. Three or more episodes of decompensation within 12 months, each at least two weeks long.  2. A residual disease process that has resulted in such marginal adjustment that eve a minimal increase in mental demands or change in the environment would be predicted to cause the individual to decompensate.  3. Current history of 1 or more years' inability to function outside a highly supportive living arrangement with an indication of continued need for such an arrangement.						at least two ment that even at would be	
B. An anxiety related disorder and <b>complete</b> inability to function independently outside area of one's home						outside the		

13.	would cause your patient to	•		impairments or u	reatment
	☐ Never ☐ About one day per mont		t two days per month t three days per month	☐ About four o	days per month our days per month
14.	Has your patient's impairm	ent lasted or	can it be expected to las	st at least twelve	months? □ No
15.	Is your patient a malingeren	r?		□ Yes	□ No
16.	Are your patient's impairmed limitations described in this			ymptoms and fur  ☐ Yes	nctional No
	If no, please explain:				
17.	Please describe any addition difficulty working at a regular			our patient woul	d have
18.	If your patient's impairment contribute to any of your particular to a			e, do alcohol or s □ Yes	substance abuse  ☐ No
	If Yes, a) please list the lin	nitations affe	ected:		
		•	you would make to you totally abstinent from al	•	• •
19.	Can your patient manage be	enefits in his	or her own best interest	:? □ Yes □ No	
20.	What is the earliest date that	at the above of	description of limitation	s applies?	
Date			Signature		
	Printed/Ty	ped Name:			
7-65a 245-8-Oı 9/10	Address:				